



Report No. A2250433077147 Page 1 of 11

**Company Name** 

PAR BAKUŁA SPÓŁKA JA WNA

shown on Report

UL. BYSEWSKA 30, 80-298 GDAŃSK, POLAND

The following sample(s) and sample information was/were submitted and identified by/on the behalf of

the client

Address

Sample Name 18CM BROWN TEDDY BEAR

Item No. R74048.10

Country of Origin

Exported to

Quantity Of Sample

Client Specified Age Grading

Labeled Age Grading

ALL AGES

Age Group Applied in Testing

ALL AGES

Sample Received Date

CHINA

Europe

2pcs

ALL AGES

ALL AGES

ALL AGES

Jul. 31, 2025

Testing Period Jul. 31, 2025 to Aug. 7, 2025

Test Conducted:

As requested by the Company Name shown on ReportF or details refer tonext page(s)

Neil Dong
Authorize gnatory

检验检测专用章

Chen Kaimin Authorized Signatory

Date Aug. 7, 2025 No. T245251836

Centre Testing International Pinbiao (Shanghai) Co., Ltd. No.1351, Wanfang Road, Minhang District, Shanghai, China



Report No. A2250433077147 Page 2 of 11

### **Executive Summary:**

TE	ST REQUEST	<b>CONCLUSION</b>			
Eur	European Standard on Safety of Toys				
-	EN 71-1:2014+A1:2018(E) Mechanical and Physical Properties	PASS			
-	EN 71-2:2020 Flammability of Toys	PASS			
-	Labeling requirement (Washing Label, CE mark, Manufacture/Importer mark and product identification)—Directive 2009/48/EC Safety of toys	REFER TO NEXT PAGES			
-	EN 71-3:2019+A2:2024 Migration of certain elements	PASS			

\*\*\*\*\*\*\* For further details, please refer to the following page(s)\*\*\*\*\*\*\*\*

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com



Report No. A2250433077147 Page 3 of 11

### **European Standard on Safety of Toys**

### **▼** Mechanical and physical properties

As specified in European Standard on Safety of Toys EN 71-1:2014+A1:2018 (E)

<u>Clause</u>	<u>Description</u>	Assessment
4	General requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
5	Toys intended for children under 36 months	
5.1	General requirements.	Pass
5.2	Soft-filled toys and soft-filled parts of a toy	Pass
5.4	Cords, chains and electrical cables in toys	Pass

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com



Report No. A2250433077147 Page 4 of 11

### **▼** Flammability of Toys

As specified in European Standard on Safety of Toys EN 71-2: 2020.

<b>Clause</b>	<u>Description</u>	<b>Assessment</b>
4	Requirements	
4.1	General	Pass
	(The following materials shall not be used in the manufacture of toys except as	
	provided in EN 71-2:2020 :	
	Celluloid, highly flammable solids, materials with a piled surface which produce	
	surface flash, flammable gases, extremely flammable liquids, highly flammable	
	liquids, flammable liquids and flammable gels.)	
4.5	Soft-filled toys	Pass
		(See Note 1)

#### Note 1:

(Clause 4.5) Soft Filled Toys

(			
Sample	Burning rate (mm/sec)		
Plush toy	0		

(The rate of spread of flame on the surface shall be not be more than 30 mm/sec or shall self-extinguish.)



Report No. A2250433077147 Page 5 of 11

**▼**<u>Labeling requirement (Washing/Cleaning instruction, CE mark, importer / manufacturer name and address, product identification) according to the Directive 2009/48/EC – Safety of toys</u>

#### Summary table:

	Observation Result	Location
Washing / Cleaning instruction	Found	Affixed label
CE mark	Found	Affixed label
Importer's Name & Address	Found	Affixed label
Manufacturer's Name & Address	Found	Affixed label
Product ID	Found	Affixed label

#### Note:

- ①: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy shall, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- ②: Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principle set out in Article 30 of Regulation (EC) NO 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- ③: The manufacturer's name registered trade name or registered trade mark and the address at which the manufacture can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- ④: Manufacturer must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

#### Remark:

The evaluation or testing related to packaging or labeling is based on the artwork submitted by the applicant rather than on the actual sample of packaging or labeling.



Report No. A2250433077147 Page 6 of 11

### **▼** Migration of certain elements

Method(s) EN 71-3:2019+A2:2024 was/were used, and the item(s) was/were analyzed by ICP-OES, ICP-MS, IC-UV and/or GC-MS.

### Category Ⅲ:scraped-off toy material

Tested Item(s)	Result (mg/kg)			MDL	<u>Limit</u>
rested ttem(s)	001	002	003	(mg/kg)	(mg/kg)
Aluminium (Al)	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	1	17
Chromium (III) #1	N.D.	N.D.	N.D.	1	460
Chromium (VI)	N.D.	N.D.	N.D.	0.002	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	50	56000
Tin (Sn) #2	N.D.	N.D.	N.D.	2	180000
Organic tin (TBT) #3				1	12
Zinc (Zn)	N.D.	N.D.	N.D.	50	46000



Report No. A2250433077147 Page 7 of 11

Tested Item(a)	Result (mg/kg)			MDL	<u>Limit</u>
Tested Item(s)	004	005	006	(mg/kg)	(mg/kg)
Aluminium (Al)	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	1	17
Chromium (III) #1	N.D.	N.D.	N.D.	1	460
Chromium (VI)	N.D.	N.D.	N.D.	0.002	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	50	56000
Tin (Sn) #2	N.D.	N.D.	N.D.	2	180000
Organic tin (TBT) #3				1	12
Zinc (Zn)	N.D.	N.D.	N.D.	50	46000



Report No. A2250433077147 Page 8 of 11

Tested Item(s)	Resul	t (mg/kg)	MDL	<u>Limit</u>
rested item(s)	007	008	(mg/kg)	(mg/kg)
Aluminium (Al)	N/A	52	50	28130
Antimony (Sb)	N/A	N.D.	5	560
Arsenic (As)	N/A	N.D.	5	47
Barium (Ba)	N/A	N.D.	50	18750
Boron (B)	N/A	N.D.	50	15000
Cadmium (Cd)	N/A	N.D.	1	17
Chromium (III) #1	N/A	N.D.	1	460
Chromium (VI)	N/A	N.D.	0.002	0.053
Cobalt (Co)	N/A	N.D.	5	130
Copper (Cu)	N/A	N.D.	50	7700
Lead (Pb)	N/A	N.D.	5	23
Manganese (Mn)	N/A	N.D.	50	15000
Mercury (Hg)	N/A	N.D.	5	94
Nickel (Ni)	N/A	N.D.	5	930
Selenium (Se)	N/A	N.D.	5	460
Strontium (Sr)	N/A	N.D.	50	56000
Tin (Sn) #2	N/A	N.D.	2	180000
Organic tin (TBT) #3	N/A		1	12
Zinc (Zn)	N/A	N.D.	50	46000



Report No. A2250433077147 Page 9 of 11

#### Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million
- N/A = Not Applicable, indicates the test portion(s) is/are less than 10mg, therefore such components was/were not tested for migration of certain elements, as specified in the European standard on safety of toys EN 71-3:2019+A2:2024, clause 7 selection of test portions.
- Where the test portion has a mass of between 10mg and 100mg, the quantity of the appropriate elements shall be calculated as if 100mg of the test portion had been used. (tested sample: 003 sample weight: 19.7mg, 004 sample weight: 10.7mg, 008 sample weight: 74.8mg)
- <sup>#1</sup> Trivalent chromium (Cr (III)) = Chromium (Cr) Hexavalent chromium (Cr (VI)), as specified in the European standard on safety of toys EN 71-3:2019+A2:2024, clause 10.1.2.
- \*\*2 Tin (Sn) content can be used for screen test for organic tins analysis to show compliance with the requirement of EN 71-3:2019+A2:2024. (When the tin content is less than the detection limit of the method, the confirmation test will not be performed, and the organic tin test result shows " --".)
- #3 The migration of organic tin is expressed as tributyltin (TBT), as specified in the European standard on safety of toys EN 71-3:2019+A2:2024, appendix G. When the tin content exceeded the limit of organic tin, eleven organic tins listed in the table were determined by GC-MS.

Organic tins tested under EN 71-3:2019+A2:2024		
Methyl tin (MeT)		
Butyl tin (BuT)		
Dibutyl tin (DBT)		
Tributyl tin (TBT)		
Tetrabutyl tin (TeBT)		
n-Octyl tin (MOT)		
Di-n-octyl tin (DOT)		
Di-n-propyl tin (DProT)		
Diphenyl tin (DPhT)		
Triphenyl tin (TPhT)		
Dimethyl tin (DMT)		

#### Note:

- Only applicable clause(s) was/were shown



Report No. A2250433077147 Page 10 of 11


### **Tested Sample/Part Description**

No.	CTI Sample ID	Description
1	001	Brown long flannelette(body)
2	002	Brown yellow string(sling)
3	003	Black embroidery thread(eyes & nose & mouth)
4	004	White embroidery thread(eyes)
5	005	Light orange flannelette(face)
6	006	Brown flannelette(soles)
7	007	Black coating(label)
8	008	White fabric(label)

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com



Report No. A2250433077147 Page 11 of 11





#### Statement:

- 1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019 / CNAS-GL015:2022;
- 5. Without written approval of CTI, this report can't be reproduced except in full.

\*\*\* End of Report \*\*\*